The Linnaean collection is temporarily housed in the British Museum (Natural History). The specimen in this collection labelled "4. oleracea" is unquestionably conspecific with the "species C" of Hemmingsen and Lemche. This is confirmed by the dissection of the genitalia of this specimen, which is a male. However, contrary to the reports of Hemmingsen and Lemche, quoting Mannheims (1952, Tipulidae, in Lindner; Fliegen palaearkt. Reg. (15): 76) this specimen does bear the reference number (4) to this species in the Syst. Nat. and there is nothing to suggest that this specimen is not the type specimen of Linnaeus.

In paragraph 8(d) Hemmingsen and Lemche refer to the possible homonymy of *Tipula Jusca* Staeger, 1840, but could find no reference to this. As reported by Hutson and Vane-Wright (1969, *Entomologist's Gaz*. 20: 237) *Tipula Jusca* Staeger, 1840, is preoccupied by *Tipula Jusca* Bloch, 1776 (*Beschaft. berlin. Ges. naturf. Fr.*, 2: 175),

erected for a specimen described from amber.

Mannheims (1966, Bonn. zool. Beitr., 15: 266) notes that Tipula paludosa Meigen, 1830 is preoccupied by Tipula paludosa Fabricius, 1794 (Ent. Syst., 4: 239). Fabricius' specimen(s) is lost (teste Zimsen, 1964, The Type Material of I.C. Fabricius. Copenhagen. p. 449) and the name must therefore be regarded as a nomen dubium.

With regard to these points added to those of Hemmingsen and Lemche to conform with the International Code of Zoological Nomenclature the names that would have to

be employed for the species of this group are as follows:-

sp.A. ("oleracea Linnaeus, 1758") = submendosa Tjeder, 1941 sp.B. ("paludosa Meigen, 1830") = fimbriata Meigen, 1818 sp.C. ("czizeki de Jong, 1925") = oleracea Linnaeus, 1758

This would be a most unfortunate decision resulting in considerable confusion both for taxonomists and non-taxonomists involved in the study of this much quoted species. We therefore feel that the Code, produced as a guide toward a stable nomenclature, should not be used to add further confusion to an already confusing situation, and that the proposals of Hemmingsen and Lemche (viz. to retain the names *oleracea*, paludosa and czizeki in the combination listed above) should be accepted.

COMMENT ON THE PROPOSED SUPPRESSION OF THE NAME *GALAXIAS DELFINI* PHILIPPI, 1895 (PISCES, GALAXIIDAE). ZN.(S.) 1877

By Dr. Henning Lemche (Universitets Zoologiske Museum, Copenhagen, Denmark)

The case of Galaxias delfini does not have any formal proposals, i.e. it is not crystal clear what are the actions to be taken by the Commission. May I translate the informal suggestions given by the author, and present the following proposals:

- Under the plenary powers to suppress the specific name delfini Philippi, 1895, as cited in the combination Galaxias delfini.
- To place on the Official Index of Rejected and Invalid Names in Zoology the specific name delfini Philippi, 1895 as cited in the combination Galaxias delfini.

ADDITION TO THE APPLICATION CONCERNING THE SUPPRESSION OF DIOMEDEA LEPTORHYNCHA COUES, 1866. Z.N.(S.) 1947 (See volume 28: 106)

By George E. Watson (Curator, Division of Birds, Smithsonian Institution, National Museum of Natural History, Washington, D.C.)

The name *Diomedea leptorhyncha* Coues, 1866, has never been used as a senior synonym in the primary literature. On the other hand, *Diomedea irrorata* Salvin, 1883, has been used repeatedly in biological and conservation literature dealing with

the Galapagos Albatross during the past 50 years. The following is a list of references which satisfies the requirements of Article 79(b):

Brosset, A. 1963. Alauda 31:83 Fisher, A. K. and Wetmore, A. 1931. Proc. U.S. natn. Mus. 79 (10):26

Fleming, C. A. 1950 Emu 49: 176 Harris, M. P. 1969. J. Zool., Lond. 159: 151 1969. Ibis 111: 97

1973. Ibis 115: 483

Helmayr, C. E. and Conover, B. 1948. Catalogue of birds of the Americas, Part 1, No. 2:43

Koepke, M. 1964. Las aves del departamento de Lima, Peru: 12 1970. The birds of the department of Lima, Peru: 18

Lévêque, R. 1963. Terre Vie 110: 408

Meyer de Schauensee, R. 1966. The species of birds of South America: 12

1970. A guide to the birds of South America Livingston Publishing Company, for Academy of Natural Sciences of Philadelphia, Wynnewood: 12

Murphy, R. C. 1925. Bird islands of Peru. New York & London: 273

1936. Oceanic birds of South America. New York: 530
Nelson, B. 1968. Galapagos. Longmans, Green & Co. Ltd., London: 321
Olrog, C. C. 1968. Las aves sudamericanas vol. 1, Universidad Nacional de Tucuman, Tucuman: 52

Peters, J. L. 1931. Checklist of birds of the world, vol. 1:43 Stresemann, E. and Stresemann, V. 1966. J. Orn. Lpz. 107 (Sonderheft): 299 Swarth, H. S. 1931. Occ. Pap. Calif. Acad. Sci. 18:33

Thomson, A. L. 1964. A new dictionary of birds: 44 Vincent, J. 1966. Int. Un. Protect. Nature Red data book vol. 2: Aves: 2/31

Watson, G. E. and Divoky, G. J. 1971. Condor 73: 487

Wetmore, A. 1965. The birds of the Republic of Panama, vol. 1. Smithson. misc. Collns 150: 34

Thus a prima facie case can be made under Article 79(b) of the International Code of Zoological Nomenclature for the suppression of Diomedea leptarliyncha Coues, 1866, in favour of Diamedea irrarata Salvin, 1883, which is the name exclusively used for the Galapagos Albatross.

COMMENT ON THE PROPOSED SUPPRESSION OF PARAONIS GRUBE. 1872 IN FAVOUR OF PARAONIS CERRUTI, 1909 UNDER THE PLENARY POWERS. Z.N.(S.) 1993 (See volume 29: 209-211)

By P. Uschakov (Zoological Institute, Academy of Sciences, Leningrad, USSR) and V. Strelzov (Murmansk Marine Biological Institute, Academy of Sciences, Dalnie Zelentsy, Murmansk, USSR)

It has been suggested to us that the name Paraonis might be retained with its original author and date by the designation of a neotype for Paraonis tenera Grube, 1872. This is, from the nominal point of view rather interesting, for by choosing Aonides fulgens as neotype the same result would be achieved in nomenclature as that suggested by us. However, as far as taxonomy is concerned, a solution of this kind imposes certain difficulties.

In describing *Paraonis tenera* certain features (a caruncle = a dorsal antenna on the prostomium, special neuropodial setae) are mentioned. These make us suppose that Paraonis tenera is one of the species belonging to the genus Aricidea. Besides, Aonides fulgens is not to be met with in the parts where Paraonis tenera has been found and described. It is the latter circumstance that makes us hold that the suggestion that we sent to the Commission would be more to the point.